

VENICUT 5 2



TAEKI®5 KNITTED GLOVE - LATEX-COATED PALM

Ref. VECUT52



Product specifications

TAEKI®5 High performance polyethylene fibre. Latex coating on palm and fingertips. Gauge 10.

Synthetic fibre: TAEKI®5 (high performance).

Coating : 100% latex.

COLOUR

Yellow-Black

SIZE

07, 08, 09, 10

Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics



Wind energy

Product's highlights & user's benefits



- Latex coating :
- Good abrasion resistance
 - Anti slip rough texture
 - Excellent grip



Cut level 5



Cut level D

Certifications and Standards

USA STANDARDS



ANSI-ISEA 105:2016 Hand Protection

A4: Resistance to cutting by sharp objects (from A1 to A9)



PPE DIRECTIVE EC 89/686

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

5: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

2: Resistance to puncture (1 to 4)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

2: Resistance to contact heat (from 1 to 4)



X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)

References

References	Bar code	COLOUR	SIZE		
VECUT5207	3295249150778	Yellow-Black	07	60	12
VECUT5208	3295249158484	Yellow-Black	08	60	12
VECUT5209	3295249150785	Yellow-Black	09	60	12
VECUT5210	3295249150792	Yellow-Black	10	60	12